



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/644,955	08/21/2003	Kazuo Okada	3022-0020	6676

70432 7590 11/10/2008
ALFRED A. STADNICKI
1300 NORTH SEVENTEENTH STREET
SUITE 1800
ARLINGTON, VA 22209

EXAMINER

SHAH, MILAP

ART UNIT	PAPER NUMBER
----------	--------------

3714

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

11/10/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

AStadnicki@antonelli.com
alfred.a.stadnicki@gmail.com
dprater@antonelli.com

Office Action Summary	Application No. 10/644,955	Applicant(s) OKADA, KAZUO	
	Examiner Milap Shah	Art Unit 3714	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 September 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,5-10,14,19-21,26 and 27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,5-10,14,19-21,26 and 27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 3714

DETAILED ACTION

This action is in response to the amendment received on September 24, 2008. The Examiner acknowledges that claims 1 & 5 were amended, no claims were canceled, and no new claims were added. Therefore, claims 1, 2, 5-10, 14, 19-21, 26, & 27 are currently pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2, & 5-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishikawa (JP Publication No. 2000-300729) in view of Sakamoto (U.S. Patent No. 6,315,663), further in view of Ishida (JP Publication No. 09-253271). [Note: Machined translations for the foreign references are of record].

Claims 1, 5, 9, & 10: Nishikawa discloses the invention substantially as claimed including the following structurally relevant elements:

a) a variable device having a plurality of rotating reels (the kind having symbols on an outer peripheral surface) for varyingly displaying a plurality of symbols under the control of a central processing unit or CPU (i.e. the gaming reels or drums as described in at least paragraph 0002 and figure 3[drums 2]);

b) a lottery device for executing a lottery for a *prize pattern* (interpreted as a game outcome) under control of the CPU (i.e. as the device disclosed by Nishikawa is a slot

Art Unit: 3714

machine, it is implicit that the slot machine perform a random function to randomly select an outcome of the game using game symbols, said function is performed by the processor or equivalent "lottery device");

c) a stop control device for controlling and stopping the variable display device under the control of the CPU (i.e. the motor and mechanics that stops the reels or drums of the variable display device in accordance with the randomly selected outcome, such that game symbols on the reels or drums stop in accordance with said outcome);

d) a stop control selection device for selecting a control type of the stop control device based on a result of the lottery under control of the CPU (i.e. the stop control device is interpreted as the function or processing behind controlling of the stop control device to effectively stop the reels or drums of the variable display device at the desired locations in accordance with the lottery);

e) a shielding device for shielding a view of the variable display device under control of the CPU, the shielding device being disposed in front of the variable display device (figure 3[liquid crystal panel 33 disposed in front of drums 2]);

f) a shielding control device for controlling shielding (see at least figures 3-5, where in figures 4 or 5 it can clearly be seen that the shielding device is being controlled for the purpose of shielding various regions of the variable display device in accordance with the lottery performed above);

g) a special game controller for causing a special gaming state that is advantageous to the player under a predetermined condition (paragraph 0015 discloses that upon obtaining a predetermined pattern a bonus game may be initiated as is common and known in the gaming arts, where the bonus game is considered a state that is advantageous to the player),

Art Unit: 3714

wherein the shielding control device controls the shielding device during the special gaming state (paragraph 0015 further discloses use of the liquid crystal panel 33 during the bonus game);

Nishikawa structurally lacks disclosing a plurality of illumination devices, each of which illuminates the variable display device and is provided at the back of the variable display device and an illumination control device for controlling each of the plurality of illumination devices. It is noted that such elements are notoriously well known in the art as lamps, LEDs, lights or the like disposed behind the reel and shielding device structures to directly illuminate symbol positions of the game matrix. Such elements have been common place specifically within the slot machine art for decades. However, for the sake of avoiding mere assertions, the Examiner submits that Sakamoto explicitly discloses illumination devices (i.e. lamps, LEDs, or the like) used for illuminating a variable display device, each of which are disposed in the back of said variable display device (figures 2, where a lamp housing 33A is clearly shown as disposed within or behind the reel 32A). Sakamoto also discloses an illuminating control device for controlling the illumination devices (column 8, lines 36-54 & column 13, lines 10-17). Sakamoto also discloses that the plurality of illumination devices are disposed so as to illuminate a respective one of the displayed symbols and the illumination devices include a back lamp and a lamp housing containing the back lamp (figure 2 clearly discloses a lamp housing separated into three compartments each having one of the backlight or lamp devices, where the back light devices illuminate three symbols appearing at the position of the display window from within the back of the reel, see also column 8, lines 35-54). There are numerous reasons why one would be motivated to modify Nishikawa with illumination devices disposed in the back of the reel to backlight or

Art Unit: 3714

highlight displayed symbols. First, as it is common place in the art, it would have been a mere design consideration (It is noted that upon Applicant's request, the Examiner can cite numerous references pre-dating the Applicant's filing that explicitly teach illumination devices in the claimed manner). Second, Nishikawa is directed to clearly conveying to a player a winning pattern and the illumination devices disclosed by Sakamoto are capable of being used to highlight symbol positions, thus, one would find it obvious to improve upon Nishikawa by including illumination devices to add more aesthetics to the representation of the winning pattern (i.e. Nishikawa uses it's shielding means to indicate a winning line and Sakamoto improves this appearance by adding backlighting to brighten the display of the winning line). And lastly, the slot machine disclosed by Sakamoto is analogous to that of Nishikawa (i.e. both include mechanical means for rotating reels in a slot machine), thus falls in the same field of endeavor and those skilled in the art would have found it obvious to interchange elements or features of either machine to the other.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the structural elements as discussed above for at least the reasons discussed above.

The combination of Nishikawa & Yamaguchi et al. disclose the invention substantially structurally as claimed except for explicitly disclosing intended use or functional-type limitations of the claimed apparatus.

First, as noted in the previous action, recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from the prior art if the prior art apparatus teaches all of the structural limitations of the

Art Unit: 3714

claim. See *Ex parte Masham*, 2 USPQ2d 1647 [Board of Patent Appeals & Interferences, 1987]. The Applicant argued that 35 U.S.C. 112, 6th authorizes claiming an apparatus based on its functional limitations. While, the Examiner agrees with the Applicant, it is noted that the Applicant has NOT invoked 35 U.S.C. 112, 6th paragraph. If Applicant wishes to invoke 35 U.S.C. 112, 6th paragraph, all "for" language must be modified to "means for". Thus, the argument the Applicant submitted with respect to functional language in the instant application is moot, as the claim language is not proper to invoke 112, 6th paragraph and the cited language from the MPEP is specific to 35 U.S.C. 112, 6th paragraph.

Nonetheless, the Examiner will address the functional language as well. The combination of Nishikawa & Sakamoto fail to explicitly disclose the shielding device being in either a state that a player can see the symbols or a state that the player cannot see the symbols in accordance with a stopping order by controlling the shielding device such that (1) a display area of the reel that is to be stopped is in the state that the player can see the symbols on the reel and (2) display areas of other reels that are not to be stopped are in the state that the player cannot see the symbols on those reels. The Examiner initially submits that such a function of the shielding device is a mere design consideration, however, to avoid making assertions the Examiner submits Ishida discloses a gaming machine in which a validation order selection means selections one of two stored stop orders and conducts a game in which the player is directed to stop the reels in either of the two orders. Depending on the selected stop order, the player is able to only stop one reel at a time and the reel to be stopped is indicated to the player via an indication lamp associated with the stop button. Thus, Ishida discloses a teaching in which multiple reels are spinning and are to be stopped in accordance with a randomly selected stop order table. Given the established structural

Art Unit: 3714

elements of the combination of Nishikawa & Sakamoto it would have required mere routine skill in the art to use the shielding device to shield those reels that are not to be stopped and make visible the reel that is to be stopped based on the stop order table as taught by Ishida. Again, it is noted, the only missing element within Ishida for the functional limitation being addressed is that Ishida discloses no shielding of the reels not to be stopped, however, there is an implicit guard against being able to select those reels. At this point it's a mere design consideration to mask those reels that simply can not be stopped until their "turn" comes up based on the stop order table selected. Given the capability of the shielding device, the structure is present and capable to perform such a task. One would be motivated to modify Nishikawa with the teachings of Sakamoto and further with the teachings of Ishida to improve upon an older mechanical gaming machine in which it is well known in the art that certain skilled persons have been able to stop mechanical reels at desired positions, simply based on their skill of pressing stop buttons at the right time based not only on the reel that they're trying to stop but also what's on other reels. To avoid this type of skilled play (considered a form of cheating in casinos), it would have been desirable to completely mask or shield those reels that are not to be stopped such that players cannot skillfully stop all the reels at desired locations, resulting in a more secure and more random gaming machine. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Nishikawa with the teachings of Sakamoto as discussed above and further modify Nishikawa with shielding of reels that are not to be stopped based on a selected stop order table as taught by Ishida for at least the reasons discussed above.

In response to Applicant's newly added limitation and arguments: The combination of Nishikawa, Sakamoto, & Ishida teach wherein the shielding control device

Art Unit: 3714

can control the shielding device (or shutter, as applicable) to overlap an unshielded area with an illuminated area under control of the CPU, and the illuminating control device controls each of the plurality of illumination devices under control of the CPU so as to cast light on the illuminated area. The Examiner's interpretation, in view of Applicant's citation as to where in the specification the Examiner may find support for the newly added limitation (i.e. page 30, lines 6-14), is that, for example, when a winning pattern is to be indicated that the shielding control device provides a certain voltage to all areas other than the area of the winning pattern, where instead it provides illumination or imaging so as to allow the player to view the winning pattern, further where the illumination devices controlled by the CPU are used to cast light on the illuminated area or visible area through which the player sees the winning pattern. The combination of Nishikawa, Sakamoto & Ishida as discussed above is considered to perform the same function. Nishikawa is directed to clearly conveying a prize winning pattern to a player by explicitly blocking all areas but the area of the winning pattern, where instead illumination imaging is displayed to highlight the winning pattern (Id.).

Further, as discussed above with respect to Sakamoto, the illumination devices under control of the CPU aid in providing highlighting of the prize winning combination (Id.). Those skilled in the art would recognize the combination of Nishikawa, Sakamoto, & Ishida as discussed above and in the previous office action make obvious the operation of controlling the shielding control device to overlap an unshielded area with an illumination area and further utilize the illumination devices to cast additional light on the illuminated area. It should be noted that Applicant's page 30, lines 6-14 stated as providing support for the limitation merely appears to recite the standard operation of a shielding device based on the determination of the processor (i.e. based on game events) as to which areas of the shutter

Art Unit: 3714

to control as being opaque and which areas to control as being transparent (i.e. illuminated).

Therefore, the combination of Nishikawa, Sakamoto, & Ishida disclose the invention substantially as claimed.

Claims 2, 6, & 8: The liquid crystal panel of Nishikawa is considered an electronic shutter, as the display is a video display or LCD and “shutters” or blocks visibility of symbols.

Claim 7: The liquid crystal panel of Nishikawa is positioned in front of the variable display reels such that the panel is substantially flat and as discussed above switches between a state of transparency and a state of being opaque, and as each pixel can be controlled, some portions may be transparent while others are not, or vice versa (figures 3-5).

Claims 14, 19-21, 26, & 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishikawa, Sakamoto, & Ishida, as applied to claims 1, 2, & 5-10, where applicable, further in view of “Applicant Admitted Prior Art” under MPEP 2129(II) & 2144.03, section C.

Claims 14 & 21: The combination of Nishikawa, Sakamoto & Ishida appears to lack an explicit disclosure of the specifics of the illumination devices. Regardless, the Applicant appears to admit that such specifics are well known in the art. Thus, implementing a blinking mode to the combination of Nishikawa, Sakamoto, & Ishida would have required mere routine skill in the art to those of ordinary skill in the art. The Applicant admits specifically that controlling the plurality of illumination devices to operate in different blinking modes, based on predetermined outcomes, is well known. Therefore it would have been *prima facie* obvious to modify the combination of Nishikawa, Sakamoto, & Ishida to obtain the invention as specified in claims 14 or 21. [note: previous Official Notice changed to "Applicant Admitted Prior Art" in accordance with MPEP 2144.03, section C].

Art Unit: 3714

Claims 19, 20, 26, & 27: The combination of Nishikawa, Sakamoto & Ishida appears to lack an explicit disclosure of the symbols being printed with light transmitting ink and regions around the symbols being printed with light shielding ink. Regardless, the Applicant appears to admit that such printing is well known in the art. As the illumination devices go, they're used for backlighting reels for various purposes. Thus, it would be essentially required for the symbols to be printed on semi-transparent material with light transmitting ink and any areas that you would not want transmitting light to be printed with light shielding ink, such as the region around the symbol to bring attention to the symbol. This practice has been well known in the art as evidenced by the applicant's admittance to such features being well known. Therefore it would have been *prima facie* obvious to modify the combination of Nishikawa, Sakamoto, & Ishida to obtain the invention as specified in claims 19, 20, 26, or 27. [note: Official Notice changed to "Applicant Admitted Prior Art" in accordance with MPEP 2144.03, section C].

Response to Arguments

Applicant's arguments filed September 24, 2008 have been fully considered but they are not persuasive. The Applicant is directed the updated rejections above, specifically at pages 7-9, which includes a portion regarding a response to Applicant's arguments, incorporating an explanation of how the combination of Nishikawa, Sakamoto, & Ishida is clearly applicable to the newly added language.

Art Unit: 3714

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Milap Shah whose telephone number is (571) 272-1723. The examiner can normally be reached on M-F: 9:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on (571) 272-4690. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

/MBS/

/Scott E. Jones/
Primary Examiner, Art Unit 3714